SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:
(A) NAME: Farmaceutisk Laboratorium Ferring A/S
(B) STREET: Indertoften 10
(C) CITY: Vanloese
(E) COUNTRY: Denmark
(F) POSTAL CODE (ZIP): DK-2720

(ii) TITLE OF INVENTION: Modified human TNF-alpha molecules, DNA encoding them, and vaccines containing said modified TNF-alpha or DNA

(iii) NUMBER OF SEQUENCES: 42

(iv) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/evidence= EXPERIMENTAL
/gene= "tnf2-1"
/standard_name= "TNF2-1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT CAG TAC ATT AAA GCC AAT        48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Gln Tyr Ile Lys Ala Asn
 1               5                  10                  15

TCT AAA TTC ATC GGT ATA ACT GAG CTG CAG CTC CAG TGG CTG AAC CGC        96
Ser Lys Phe Ile Gly Ile Thr Glu Leu Gln Leu Gln Trp Leu Asn Arg
            20                  25                  30
```

```
CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG      144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
         35                  40                  45

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC      192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
     50                  55                  60

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC      240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
 65                  70                  75                  80

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT      288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
                 85                  90                  95

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC      336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG      384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC      432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
    130                 135                 140

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG          477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

```
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Gln Tyr Ile Lys Ala Asn
 1               5                  10                  15

Ser Lys Phe Ile Gly Ile Thr Glu Leu Gln Leu Gln Trp Leu Asn Arg
            20                  25                  30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
         35                  40                  45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
     50                  55                  60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
 65                  70                  75                  80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
                 85                  90                  95
```

```
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
    130                 135                 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP2-3"
/standard_name= "TNF2-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT        48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC        96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG       144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC       192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC CAG TAC ATA AAG GCC AAC TCC AAG TTT ATC GGC ATC ACC GAG CTC       240
Phe Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu
    225                 230                 235
```

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT 288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240 245 250 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC 336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
260 265 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG 384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
275 280 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC 432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
290 295 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG 477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
305 310 315

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
1 5 10 15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
35 40 45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
50 55 60

Phe Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu
65 70 75 80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
85 90 95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
100 105 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
115 120 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
130 135 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
145 150 155

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP2-4"
/standard_name= "TNF2-4"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT        48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC        96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG       144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC       192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC       240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
    225                 230                 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT       288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC       336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
                260                 265                 270

AAG CCC CAG TAT ATC AAG GCC AAT TCG AAA TTC ATC GGC ATC ACG GAG       384
Lys Pro Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu
            275                 280                 285

CTC GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC       432
Leu Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
        290                 295                 300
```

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG 477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
305 310 315

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
1 5 10 15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
35 40 45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
50 55 60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
65 70 75 80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
85 90 95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
100 105 110

Lys Pro Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu
115 120 125

Leu Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
130 135 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
145 150 155

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP2-5"
/standard_name= "TNF2-5"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT       48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC       96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG      144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC      192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC      240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
    225                 230                 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT      288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC      336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
                260                 265                 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG      384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
            275                 280                 285

AAG GGT GAC CGA CAG TAC ATT AAG GCC AAT TCG AAG TTC ATT GGC ATC      432
Lys Gly Asp Arg Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile
        290                 295                 300

ACT GAG CTG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG          477
Thr Glu Leu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
    305                 310                 315
```

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

```
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
 1               5                  10                  15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
            20                  25                  30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
        35                  40                  45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
    50                  55                  60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
65                  70                  75                  80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
                85                  90                  95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125

Lys Gly Asp Arg Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly Ile
    130                 135                 140

Thr Glu Leu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP2-7"
/standard_name= "TNF2-7"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT 48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160 165 170 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC 96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
180 185 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG 144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
195 200 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC 192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
210 215 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CAG TAC ATC AAA 240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Gln Tyr Ile Lys
225 230 235

GCT AAC TCC AAA TTC ATC GGC ATC ACC GAA CTG GTT AAC CTC CTC TCT 288
Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Val Asn Leu Leu Ser
240 245 250 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC 336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
260 265 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG 384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
275 280 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC 432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
290 295 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG 477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
305 310 315

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
1 5 10 15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
35 40 45

```
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
 50                  55                  60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Gln Tyr Ile Lys
 65                  70                  75                  80

Ala Asn Ser Lys Phe Ile Gly Ile Thr Glu Leu Val Asn Leu Leu Ser
                 85                  90                  95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
    130                 135                 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP30-1"
/standard_name= "TNF30-1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT TTC AAC AAT TTT ACC GTA        48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Phe Asn Asn Phe Thr Val
160                 165                 170                 175

AGC TTT TGG CTC CGT GTA CCT AAG GTG TCG GCC TCG CAC CTG GAG CGC        96
Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG       144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205
```

```
CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC      192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC      240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
    225                 230                 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT      288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC      336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
                260                 265                 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG      384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
            275                 280                 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC      432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
        290                 295                 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG          477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
    305                 310                 315
```

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 159 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

```
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Phe Asn Asn Phe Thr Val
  1               5                  10                  15

Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu Arg
            20                  25                  30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
        35                  40                  45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
    50                  55                  60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
 65                  70                  75                  80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
                85                  90                  95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125
```

```
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
    130                 135                 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP30-2"
/standard_name= "TNF30-2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT      48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC      96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT TTC AAC AAC TTC ACA GTT AGC TTC     144
Arg Ala Asn Ala Leu Leu Ala Asn Phe Asn Asn Phe Thr Val Ser Phe
            195                 200                 205

TGG TTG AGG GTA CCA AAG GTC TCG GCC AGC CAC CTC GAG CAG GTC CTC     192
Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu Gln Val Leu
        210                 215                 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC     240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
    225                 230                 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT     288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC     336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
                260                 265                 270
```

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG 384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
275 280 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC 432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
290 295 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG 477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
305 310 315

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
1 5 10 15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Phe Asn Asn Phe Thr Val Ser Phe
35 40 45

Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu Gln Val Leu
50 55 60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
65 70 75 80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
85 90 95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
100 105 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
115 120 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
130 135 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
145 150 155

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP30-3"
/standard_name= "TNF30-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT        48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC        96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG       144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC       192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC AAC AAC TTT ACC GTC TCC TTC TGG CTT CGG GTA CCC AAG GTC AGC       240
Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser
    225                 230                 235

GCT AGC CAC CTC GAG GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT       288
Ala Ser His Leu Glu Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC       336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
                260                 265                 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG       384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
            275                 280                 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC       432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
        290                 295                 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG           477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
    305                 310                 315
```

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

```
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
 1               5                  10                  15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
            20                  25                  30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
        35                  40                  45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
    50                  55                  60

Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser
65                  70                  75                  80

Ala Ser His Leu Glu Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
                85                  90                  95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
            100                 105                 110

Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
        115                 120                 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
    130                 135                 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
145                 150                 155
```

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477

(D) OTHER INFORMATION:/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP30-4"
/standard_name= "TNF30-4"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

```
ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT      48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160                 165                 170                 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC      96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
                180                 185                 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG     144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
            195                 200                 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC     192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
        210                 215                 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC     240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
    225                 230                 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT     288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240                 245                 250                 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA TTT AAT AAT TTC ACC     336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Phe Asn Asn Phe Thr
                260                 265                 270

GTG TCC TTC TGG TTG CGC GTC CCT AAG GTA AGC GCT TCC CAC CTG GAG     384
Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu
            275                 280                 285

AAG GGT GAC CGA CTC AGC GCT GAG ATC AAT CGG CCC GAC TAT CTC GAC     432
Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
        290                 295                 300

TTT GCC GAG TCT GGG CAG GTC TAC TTT GGG ATC ATT GCC CTC TAG         477
Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu  *
    305                 310                 315
```

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

```
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
  1               5                  10                  15
```

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
35 40 45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
50 55 60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
65 70 75 80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
85 90 95

Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Phe Asn Asn Phe Thr
100 105 110

Val Ser Phe Trp Leu Arg Val Pro Lys Val Ser Ala Ser His Leu Glu
115 120 125

Lys Gly Asp Arg Leu Ser Ala Glu Ile Asn Arg Pro Asp Tyr Leu Asp
130 135 140

Phe Ala Glu Ser Gly Gln Val Tyr Phe Gly Ile Ile Ala Leu *
145 150 155

(2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 477 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION:1..477
(D) OTHER INFORMATION:/codon_start= 1
/function= "Antigen"
/product= "TNF-alpha analog"
/gene= "tnfP30-5"
/standard_name= "TNF30-5"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

ATG GTC AGA TCA TCT TCT CGA ACC CCG AGT GAC AAG CCT GTA GCC CAT 48
Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
160 165 170 175

GTT GTA GCA AAC CCT CAA GCT GAG GGG CAG CTC CAG TGG CTG AAC CGC 96
Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
180 185 190

CGG GCC AAT GCC CTC CTG GCC AAT GGC GTG GAG CTG AGA GAT AAC CAG 144
Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
195 200 205

CTG GTG GTG CCA TCA GAG GGC CTG TAC CTC ATC TAC TCC CAG GTC CTC 192
Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
210 215 220

TTC AAG GGC CAA GGC TGC CCC TCC ACC CAT GTG CTC CTC ACC CAC ACC 240
Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
225 230 235

ATC AGC CGC ATC GCC GTC TCC TAC CAG ACC AAG GTC AAC CTC CTC TCT 288
Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
240 245 250 255

GCC ATC AAG AGC CCC TGC CAG AGG GAG ACC CCA GAG GGG GCT GAG GCC 336
Ala Ile Lys Ser Pro Cys Gln Arg Glu Thr Pro Glu Gly Ala Glu Ala
260 265 270

AAG CCC TGG TAT GAG CCC ATC TAT CTG GGA GGG GTC TTC CAG CTG GAG 384
Lys Pro Trp Tyr Glu Pro Ile Tyr Leu Gly Gly Val Phe Gln Leu Glu
275 280 285

AAG GGT GAC CGA TTC AAC AAT TTC ACC GTA AGC TTC TGG CTT CGC GTC 432
Lys Gly Asp Arg Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg Val
290 295 300

CCT AAG GTG TCT GCG TCG CAC CTC GAA GGG ATC ATT GCC CTC TAG 477
Pro Lys Val Ser Ala Ser His Leu Glu Gly Ile Ile Ala Leu *
305 310 315

(2) INFORMATION FOR SEQ ID NO: 20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 159 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

Met Val Arg Ser Ser Ser Arg Thr Pro Ser Asp Lys Pro Val Ala His
1 5 10 15

Val Val Ala Asn Pro Gln Ala Glu Gly Gln Leu Gln Trp Leu Asn Arg
20 25 30

Arg Ala Asn Ala Leu Leu Ala Asn Gly Val Glu Leu Arg Asp Asn Gln
35 40 45

Leu Val Val Pro Ser Glu Gly Leu Tyr Leu Ile Tyr Ser Gln Val Leu
50 55 60

Phe Lys Gly Gln Gly Cys Pro Ser Thr His Val Leu Leu Thr His Thr
65 70 75 80

Ile Ser Arg Ile Ala Val Ser Tyr Gln Thr Lys Val Asn Leu Leu Ser
85 90 95

Ala	Ile	Lys	Ser	Pro	Cys	Gln	Arg	Glu	Thr	Pro	Glu	Gly	Ala	Glu	Ala
			100					105					110		
Lys	Pro	Trp	Tyr	Glu	Pro	Ile	Tyr	Leu	Gly	Gly	Val	Phe	Gln	Leu	Glu
		115					120					125			
Lys	Gly	Asp	Arg	Phe	Asn	Asn	Phe	Thr	Val	Ser	Phe	Trp	Leu	Arg	Val
	130					135					140				
Pro	Lys	Val	Ser	Ala	Ser	His	Leu	Glu	Gly	Ile	Ile	Ala	Leu	*	
145					150					155					

(2) INFORMATION FOR SEQ ID NO: 21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 24 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:
(A) NAME/KEY: misc_feature
(B) LOCATION:1..24
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha"
/product= "Primer binding to TNF-alpha gene"
/evidence= EXPERIMENTAL
/standard_name= "TNF-alpha Primer I"
/label= Primer1

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

GACAAGCCCA TGGTCAGATC ATCT 24

(2) INFORMATION FOR SEQ ID NO: 22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:
(A) NAME/KEY: misc_feature
(B) LOCATION:1..30
(C) IDENTIFICATION METHOD: experimental

(D) OTHER INFORMATION:/function= "Primer for PCR cloning
of DNA encoding TNF-alpha"
/product= "Primer binding to TNF-alpha gene"
/evidence= EXPERIMENTAL
/standard_name= "TNF-alpha Primer II"
/label= Primer2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

TCTCTAGAGG GCAATGATCC CAAAGTAGAC 30

(2) INFORMATION FOR SEQ ID NO: 23:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 21 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ix) FEATURE:
(A) NAME/KEY: misc_feature
(B) LOCATION:1..21
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning
of DNA encoding TNF-alpha"
/product= "Primer binding to TNF-alpha gene"
/evidence= EXPERIMENTAL
/standard_name= "TNF-alpha Primer III"
/label= Primer3

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

CCCAAAGTAG ACCTGCCCAG A 21

(2) INFORMATION FOR SEQ ID NO: 24:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 69 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:7..51
(C) IDENTIFICATION METHOD: experimental

(D) OTHER INFORMATION:/function= "Primer for PCR cloning
of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut2-1""
/label= mut2-1
/note= "Primer "mut2-1" is a synthetically synthesised
69-mer oligonucleotide comprising DNA encoding the human
T cell epitope P2 between stretches of DNA homologous to
stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

ACCCCGAGTC AGTACATTAA AGCCAATTCT AAATTCATCG GTATAACTGA GCTGCAGCTC 60

CAGTGGCTG 69

(2) INFORMATION FOR SEQ ID NO: 25:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 73 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:15..59
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning
of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut2-3""
/label= mut2-3
/note= "Primer "mut2-3" is a synthetically synthesised
73-mer oligonucleotide comprising DNA encoding the human
T cell epitope P2 between stretches of DNA homologous to
stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

CCCAGGTCCT CTTCCAGTAC ATAAAGGCCA ACTCCAAGTT TATCGGCATC ACCGAGCTCA 60

TCAGCCGCAT CGC 73

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 75 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:12..56
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut2-4""
/label= mut2-4
/note= "Primer "mut2-4" is a synthetically synthesised 75-mer oligonucleotide comprising DNA encoding the human T cell epitope P2 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

AGTCGGTCAC CGAGCTCCGT GATGCCGATG AATTTCGAAT TGGCCTTGAT ATACTGGGGC 60

TTGGCCTCAG CCCCC 75

(2) INFORMATION FOR SEQ ID NO: 27:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 75 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:8..52
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut2-5""
/label= mut2-5
/note= "Primer "mut2-5" is a synthetically synthesised 75-mer oligonucleotide comprising DNA encoding the human T cell epitope P2 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

GAAGGGTGAC CGACAGTACA TTAAGGCCAA TTCGAAGTTC ATTGGCATCA CTGAGCTGTC 60

TGGGCAGGTC TACTT 75

(2) INFORMATION FOR SEQ ID NO: 28:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 80 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:14..58
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut2-7""
/label= mut2-7
/note= "Primer "mut2-7" is a synthetically synthesised 80-mer oligonucleotide comprising DNA encoding the human T cell epitope P2 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

CACCCATGTG CTCCAGTACA TCAAAGCTAA CTCCAAATTC ATCGGCATCA CCGAACTGGT 60

TAACCTCCTC TCTGCCATCA 80

(2) INFORMATION FOR SEQ ID NO: 29:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 96 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:10..72
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut30-1""
/label= mut30-1
/note= "Primer "mut30-1" is a synthetically synthesised 96-mer oligonucleotide comprising DNA encoding the human T cell epitope P30 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

ACCCCGAGTT TCAACAATTT TACCGTAAGC TTTTGGCTCC GTGTACCTAA GGTGTCGGCC 60

TCGCACCTGG AGCGCCGGGC CAATGCCCTC CTGGCC 96

(2) INFORMATION FOR SEQ ID NO: 30:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 100 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:12..74
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut30-2""
/label= mut30-2
/note= "Primer "mut30-2" is a synthetically synthesised 100-mer oligonucleotide comprising DNA encoding human T cell epitope P30 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

TCCTGGCCAA TTTCAACAAC TTCACAGTTA GCTTCTGGTT GAGGGTACCA AAGGTCTCGG 60

CCAGCCACCT CGAGCAGGTC CTCTTCAAGG GCCAAGGCTG 100

(2) INFORMATION FOR SEQ ID NO: 31:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 100 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:12..74
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut30-3""
/label= mut30-3
/note= "Primer "mut30-3" is a synthetically synthesised 100-mer oligonucleotide comprising DNA encoding human T cell epitope P30 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

CCCAGGTCCT CTTCAACAAC TTTACCGTCT CCTTCTGGCT TCGGGTACCC AAGGTCAGCG 60

CTAGCCACCT CGAGGTCTCC TACCAGACCA AGGTCAACCT 100

(2) INFORMATION FOR SEQ ID NO: 32:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 100 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:15..77
(C) IDENTIFICATION METHOD: experimental

(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut30-4""
/label= mut30-4
/note= "Primer "mut30-4" is a synthetically synthesised 100-mer oligonucleotide comprising DNA encoding human T cell epitope P30 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

AGTCGGTCAC CCTTCTCCAG GTGGGAAGCG CTTACCTTAG GGACGCGCAA CCAGAAGGAC 60

ACGGTGAAAT TATTAAATGG GGTCTCCCTC TGGCAGGGGC 100

(2) INFORMATION FOR SEQ ID NO: 33:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 100 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: insertion_seq
(B) LOCATION:14..76
(C) IDENTIFICATION METHOD: experimental
(D) OTHER INFORMATION:/function= "Primer for PCR cloning of DNA encoding TNF-alpha analog"
/evidence= EXPERIMENTAL
/organism= "Homo sapiens"
/standard_name= "Primer "mut30-5""
/label= mut30-5
/note= "Primer "mut30-5" is a synthetically synthesised 100-mer oligonucleotide comprising DNA encoding human T cell epitope P30 between stretches of DNA homologous to stretches of the human TNF-alpha gene"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

GAAGGGTGAC CGATTCAACA ATTTCACCGT AAGCTTCTGG CTTCGCGTCC CTAAGGTGTC 60

TGCGTCGCAC CTCGAAGGGA TCATTGCCCT CTAGAGTCGA 100

(2) INFORMATION FOR SEQ ID NO: 34:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 25 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..25
(D) OTHER INFORMATION:/label= Pep2-1
/note= "Pep2-1 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P2 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

Ser Arg Thr Pro Ser Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly
1 5 10 15

Ile Thr Glu Leu Gln Leu Gln Trp Leu
20 25

(2) INFORMATION FOR SEQ ID NO: 35:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 25 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..25
(D) OTHER INFORMATION:/label= Pep2-3
/note= "Pep2-3 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P2 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:

Ser Gln Val Leu Phe Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly
1 5 10 15

Ile Thr Glu Leu Ile Ser Arg Ile Ala
20 25

(2) INFORMATION FOR SEQ ID NO: 36:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 25 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..25
(D) OTHER INFORMATION:/label= Pep2-4
/note= "Pep2-4 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P2 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:

Ala Glu Ala Lys Pro Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly
1 5 10 15

Ile Thr Glu Leu Gly Asp Arg Leu Ser
20 25

(2) INFORMATION FOR SEQ ID NO: 37:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 25 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..25
(D) OTHER INFORMATION:/label= Pep2-5
/note= "Pep2-5 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P2 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:

Glu Lys Gly Asp Arg Gln Tyr Ile Lys Ala Asn Ser Lys Phe Ile Gly
1 5 10 15

Ile Thr Glu Leu Ser Gly Gln Val Tyr
20 25

(2) INFORMATION FOR SEQ ID NO: 38:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..31
(D) OTHER INFORMATION:/label= Pep30-1
/note= "Pep30-1 is a synthetically prepared truncated form of a TNF-alpha analog comprising human T cell epitope P30 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:

Ser Arg Thr Pro Ser Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg
1 5 10 15

Val Pro Lys Val Ser Ala Ser His Leu Glu Arg Arg Ala Asn Ala
20 25 30

(2) INFORMATION FOR SEQ ID NO: 39:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..31
(D) OTHER INFORMATION:/label= Pep30-2
/note= "Pep30-2 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P30 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:

```
Ala Leu Leu Ala Asn Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg
1               5                  10                  15

Val Pro Lys Val Ser Ala Ser His Leu Glu Gln Val Leu Phe Lys
            20                  25                  30
```

(2) INFORMATION FOR SEQ ID NO: 40:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..31
(D) OTHER INFORMATION:/label= Pep30-3
/note= "Pep30-3 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P30 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:

```
Tyr Ser Gln Val Leu Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg
1               5                  10                  15

Val Pro Lys Val Ser Ala Ser His Leu Glu Val Ser Tyr Gln Thr
            20                  25                  30
```

(2) INFORMATION FOR SEQ ID NO: 41:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..31

(D) OTHER INFORMATION:/label= Pep30-4
/note= "Pep30-4 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P30 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 41:

Gln Arg Glu Thr Pro Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg
1 5 10 15

Val Pro Lys Val Ser Ala Ser His Leu Glu Lys Gly Asp Arg Leu
20 25 30

(2) INFORMATION FOR SEQ ID NO: 42:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(v) FRAGMENT TYPE: internal

(vi) ORIGINAL SOURCE:
(A) ORGANISM: Homo sapiens

(ix) FEATURE:
(A) NAME/KEY: Peptide
(B) LOCATION:1..31
(D) OTHER INFORMATION:/label= Pep30-5
/note= "Pep30-5 is a synthetically prepared truncated form of a TNF-alpha analog comprising the human T cell epitope P30 and flanking portions of human TNF-alpha"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42:

Glu Lys Gly Asp Arg Phe Asn Asn Phe Thr Val Ser Phe Trp Leu Arg
1 5 10 15

Val Pro Lys Val Ser Ala Ser His Leu Glu Gly Ile Ile Ala Leu
20 25 30